ABEBA®
Dynamic & Easy

Dear business partners, dear customers,

With this sending ABEBA presents you full of pride our newest ranges “Dynamic“ and “Easy”, representing a brand new generation of occupational shoes.

Craftsmanship, technical skills, inspiration and passion are the main ingredients from which we have created two new series of clogs. “Dynamic“ and “Easy“ are setting new standards in terms of innovative technology and design.

Thanks to our longtime expert knowledge as a manufacturer of safety and occupational shoes we are able to offer you an outstanding level of wearing comfort and slip resistance due to the sophisticated technology of the outsole.

Our specially developed acc (air clima comfort) Wave insoles and innovative lining-materials assure an ideal compensation of temperature and humidity for your well-being and the best performance in your daily working life.

With ABEBA “Dynamic“ and “Easy“ your are always one step ahead!

Your ABEBA® team

DYNAMIC

easy

DYNAMIC

DYNAMIC - ATHLETIC DESIGN WITH LIFESTYLE

ABEBA sets new standards for innovative designs as well as for perfect wearing comfort due to replaceable "air clima comfort" Wave insoles.

Naturally formed lasts convey a "barefoot feeling" and offer natural grip supported by the anatomically formed acc Wave insole with specially formed heel area. Several flexing zones in the outsole support the bending performance and ensure your feet to roll off naturally.

Our shoes exceed the requirements of the standards with innovative and tough upper materials as well as special moisture absorbing lining materials and the ESD compliant technology sole with its high slip resistance.

Give our new ABEBA Dynamic models a try!



- CE
- SRC slip resistance according to EN ISO 20347:2012
- Upper leather/ A-micro
- Sanitized® treated (odor and bacteria resistant)
- Antistatic/ ESD dissipative according to DIN EN 61340

1. Antistatic/ ESD dissipative according to DIN EN 61340
2. SRC slip resistance according to EN ISO 20347:2012
3. Animal fats and oil resistant
4. Fuel resistance

DYNAMIC



NEW

Art. Nr. 3574
Size 35-48

replaceable & available separately

acc Wave - **air clima comfort**



acc - ventilation

- Air circulates throughout the entire insole
- Immediate draining of perspiration
- Will dry over night
- Feet stay dryer and cooler

acc - bedding system

- Supports the forefoot
- High wearing comfort
- Supports natural movement
- Best fit thanks to individual adaption

acc - shock absorption system

- Instant absorption (reduces pressure peaks)
- Equal pressure distribution
- Shock absorption on the whole plantar area
- Relieves muscles, ligaments, joints and spine

A-micro

A-micro is a new and innovative high-tech material which is especially water-resistant and breathable it even surpasses hydrophobic leather. It is washable up to 30°C without shrinking and anti-bacterial, which is making it perfect for the use in hygienic sensitive areas. Additionally it can be equipped with various treatments such as silver ions.

Due to its special structure it is light and smooth but at the same time very tearproof and resistant against up to 13 different chemical substances (leather only against 4-5). A-micro replicates leather visually **without** becoming yellow due to direct sunlight.



DYNAMIC

(3)7331

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro black/ blue
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

one piece

casual

(3)7332

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro black/ red
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

one piece

* certification submitted

one piece

37333

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro black/ yellow
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP
- ESD dissipative according to DIN EN 61340

(3)7335

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro white/ black
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

one piece

(3) = Models in ESD version

DYNAMIC

(3)7341

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro black/ blue with black breathable textile inlays
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

breathable

(3)7342

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro black/ red with black breathable textile inlays
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

breathable

* certification submitted

37343

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro black/ yellow with black breathable textile inlays
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP
- ESD dissipative according to DIN EN 61340

breathable

airy

(3)7345

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro white/ black with black breathable textile inlays
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

breathable

(3) = Models in ESD version

DYNAMIC

(3)7310

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- Smooth leather white with print
- Replaceable acc Wave insole (Art. 3574)
- Heel strap foldable, adjustable

young

(3)7312

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- Smooth leather white/ blue with print
- Replaceable acc Wave insole (Art. 3574)
- Heel strap foldable, adjustable

* certification submitted

(3)7313

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- Smooth leather white/ red with print
- Replaceable acc Wave insole (Art. 3574)
- Heel strap foldable, adjustable

(3)7315

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- Smooth leather black/ brown with print
- Replaceable acc Wave insole (Art. 3574)
- Heel strap foldable, adjustable

(3) = Models in ESD version

DYNAMIC

(3)7360

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro white
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

(3)7361

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro black
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

* certification submitted

(3)7365

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro grey/ black
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

active

ABEBA®

The suitable for kitchens-Icon

The washable-Icon

(3) = Models in ESD version

DYNAMIC

(3)7362

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro grey/ blue
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

colorful

(3)7363

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro grey/ red
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

* certification submitted

(3)7364

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro grey/ yellow
- Replaceable acc Wave insole (Art. 3574)
- Heel strap non-foldable, adjustable
- HACCP

The HACCP-Icon

HACCP –
Hazard Analysis Critical Control Points

is a monitoring system using risk analysis. It serves to identify, assess and combat major health risks cansed by foodstuffs.

(3) = Models in ESD version

easy

EASY - „FASHION FADES, ONLY STYLE REMAINS THE SAME.“ (Coco Chanel)

Broaden your horizons. The ABEBA Easy range proves that you don't have to compromise your style at work. We can offer you an allround carefree package made out of wearing comfort, correct fit, technology, functionality and design.

Our shoes support your poise by their innovative walking sole with special profile and high slip resistance while your feet experience a maximum comfort through naturally formed lasts, flexing areas in the walking sole and replaceable "air clima comfort" Wave insoles.

Try out and enjoy our new ABEBA Easy shoes!

- CE
- SRC slip resistance according to EN ISO 20347:2012
- Upper leather/ A-micro
- Sanitized® treated (odor and bacteria resistant)
- Antistatic/ ESD dissipative according to DIN EN 61340

1. Antistatic/ ESD dissipative according to DIN EN 61340
2. SRC slip resistance according to EN ISO 20347:2012
3. Animal fats and oil resistant
4. Fuel resistance



easy



NEW

Art. Nr. 3573
Size 35-48

replaceable & available separately

acc Wave - **air clima comfort**

acc - ventilation

- Air circulates throughout the entire insole
- Immediate draining of perspiration
- Will dry over night
- Feet stay dryer and cooler

acc - bedding system

- Supports the forefoot
- High wearing comfort
- Supports natural movement
- Best fit thanks to individual adaption

acc - shock absorption system

- Instant absorption (reduces pressure peaks)
- Equal pressure distribution
- Shock absorption on the whole plantar area
- Relieves muscles, ligaments, joints and spine

(3)7630

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- Smooth leather white, perforated
- Replaceable acc Wave insole (Art. 3573)
- Heel strap foldable, adjustable

fresh

(3)7631

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- Smooth leather black, perforated
- Replaceable acc Wave insole (Art. 3573)
- Heel strap foldable, adjustable

* certification submitted

(3) = Models in ESD version

easy

(3)7622

Size 35-48

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- Smooth leather white/ blue
- Replaceable acc Wave insole (Art. 3573)
- Heel strap non-foldable, adjustable

(3)7623

Size 35-43

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- Smooth leather white/ red
- Replaceable acc Wave insole (Art. 3573)
- Heel strap non-foldable, adjustable

* certification submitted

(3)7621

Size 35-43

- CE, EN ISO 20347:2012 OB, A, E, FO, SRC*
- A-micro patent black
- Replaceable acc Wave insole (Art. 3573)
- Heel strap non-foldable, adjustable

elegant

Secure poise all day for your best performance.

TIP

Kindness and a strong ability to work under pressure are your best traits. Your most important tools of your everyday work are your feet!

In our ABEBA "Easy" collection you will find shoes for all demands. A walking sole with cushioning effect and the comfortable acc Wave insole guarantee the highest wearing comfort and a good well being until the end of work.

(3) = Models in ESD version

INFO **ICONS**

SUITABLE FOR KITCHENS

REPLACEABLE INSOLE

WASHABLE AT 30° C

HACCP

IDENTIFICATION

BREATHABLE

INFO **TECHNICAL**

Requirements Standards EN ISO 20347:2012		OB
BASIC REQUIREMENTS*		
anti-slip property (SRA, SRB or SRC)		■
ADDITIONAL REQUIREMENTS*		
penetration resistance	P	□
antistatic property	A	□
energy absorption of heel area	E	□
heat insulation of the outsole	HI	□
cold insulation of the outsole	CI	□
OUTSOLE		
reaction on contact heat	HRO	□
fuel resistance	FO	□

■ Fulfills requirement

□ Requirement may be fulfilled, but is optional

*finished shoe

INFO **TRACING FILE**

Art.-Nr.	Page	Size	Product group	Category	Standard and Marking
3573	20	35-48	acc Wave	Insole	
3574	6	35-48	acc Wave	Insole	
(3)7310	12	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7312	12	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7313	13	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7315	13	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7331	8	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7332	8	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
37333	9	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7335	9	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7341	10	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7342	10	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
37343	11	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7345	11	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7360	14	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7361	14	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7365	15	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7362	16	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7363	16	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7364	17	35-48	Dynamic	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7621	23	35-43	Easy	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7622	22	35-48	Easy	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7623	22	35-43	Easy	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7630	21	35-48	Easy	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*
(3)7631	21	35-48	Easy	Occupational Shoes	CE, EN ISO 20347:2012 - OB, A, E, FO, SRC*

We reserve the right to modify models, colours and technical details as well as the right to make a compensation or subsequent delivery.

ABEBA Spezialschuhausstatter GmbH
Schlackenbergstrasse 5 . D-66386 St. Ingbert
Phone: +49 6894 3103-100 . Fax: +49 6894 3074
E-Mail: abeba@abeba.de . www.abeba.com

ABEBA

Spezialschuhausstatter GmbH
Schlackenbergstrasse 5
D-66386 St. Ingbert
Phone: +49 6894 3103-100
Fax: +49 6894 3074
E-Mail: abeba@abeba.de
www.abeba.com