

## Technology

- Sheet pressing for shovels
- Digging Tools Design according to international standard.



Ex1000  
 Brush, Cup



No.	a mm	c inch	⚖ kg	a inch	c inch	Wt. lbs.
Ex1000-100	100	1/2	0.42	4	1/2	0.93
Ex1000-150	150	5/8	0.57	6	5/8	1.26

Ex1001  
 Brush, Straight Handle, Scratch




No.	Rows	b mm	⚖ kg	b inch	Wt. lbs.
Ex1001-3	3	280	0.15	11 <sup>3</sup> / <sub>16</sub>	0.33
Ex1001-4	4	280	0.20	11 <sup>3</sup> / <sub>16</sub>	0.44

Ex1002  
 Brush, Flat Back, Scratch



No.	Rows	b mm	⚖ kg	b inch	Wt. lbs.
Ex1002-5	5	185	0.3	7 <sup>3</sup> / <sub>8</sub>	0.66


Ex1003  
 Brush, Wheel



No.	a mm	b mm	c inch	⚖ kg	a inch	b inch	c inch	Wt. lbs.
Ex1003-125	125	20	1/2	0.36	5	3/4	1/2	0.79


# Carltsø Safety Tools

- Ex1004 Dust Pan
- Ex1005 Shovel, Square Point with Long Handle
- Ex1006 Shovel, Round Point with Long Handle
- Ex1007 Spade, Edging with D-Grip




**Ex1004  
Dust Pan**

No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1004-120	120	200	0.36	4 <sup>3</sup> / <sub>4</sub>	8	0.79




**Ex1005  
Shovel, Square Point  
With Long Handle**

No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1005-250	250	300	1.16	10	12	2.56




**Ex1006  
Shovel, Round Point  
With Long Handle**

No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1006-243	243	300	1.28	9 <sup>11</sup> / <sub>16</sub>	12	2.82




**Ex1007  
Spade, Edging  
With D-Grip**

No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1007-180	180	285	1.19	7 <sup>3</sup> / <sub>16</sub>	11 <sup>3</sup> / <sub>8</sub>	2.62




Ex1008  
Pick, Railroad or Clay

No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1008-420	420	25	1.20	16 <sup>3</sup> / <sub>4</sub>	1	2.65
Ex1008-560	560	30	2.06	22 <sup>3</sup> / <sub>8</sub>	1 <sup>3</sup> / <sub>16</sub>	4.54
Ex1008-640	640	35	4.47	25 <sup>9</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>8</sub>	9.85




Ex1009  
Rake

No.	a mm	kg	a inch	Wt. lbs.
Ex1009-300	300	0.33	12	0.73



Ex1010  
Fork, Garden  
(Handle included)

No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1010-175	175	280	1.86	7	11 <sup>3</sup> / <sub>16</sub>	4.10



Ex1013  
Drum Opener, Carbide


No.	a mm	b mm	l mm	kg	a inch	b inch	l inch	Wt. lbs.
Ex1013-310	45	75	310	0.71	1 <sup>3</sup> / <sub>4</sub>	3	12 <sup>3</sup> / <sub>8</sub>	1.58

# Carltsø Safety Tools




- Ex1014 Scraper, Pick and Scaler
- Ex1015 Hoe, Planters' / Mixing, Angled Blade  
(Handle included)
- Ex1017 Bucket
- Ex1101 Wedge, Flange

## Ex1014 Scraper, Pick and Scaler




No.	a mm	l mm	kg	a inch	l inch	Wt. lbs.
Ex1014-400	75	400	1.56	3	16	3.44

## Ex1015 Hoe, Planters' / Mixing, Angled Blade (Handle included)




No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1015-200	200	200	1.88	4	4	4.14

## Ex1017 Bucket




No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1017-300	300	250	0.58	12	10	1.28

## Ex1101 Wedge, Flange




No.	a mm	b mm	l mm	kg	a inch	b inch	l inch	Wt. lbs.
Ex1101-01	6	13	50	0.02	1/4	1/2	2	0.04
Ex1101-02	9	16	50	0.03	3/8	5/8	2	0.07
Ex1101-03	13	19	75	0.08	1/2	3/4	3	0.17
Ex1101-04	16	22	100	0.15	5/8	7/8	4	0.33
Ex1101-05	22	31	125	0.36	7/8	1 1/4	5	0.80
Ex1101-06	25	38	150	0.61	1	1 1/2	6	1.34
Ex1101-07	31	44	200	1.16	1 1/4	1 3/4	8	2.56
Ex1101-08	34	50	250	1.81	1 3/8	2	10	3.98
Ex1101-09	44	66	300	3.70	1 3/4	2 5/8	12	8.16




Ex1102  
Flange Spreader

No.	a mm	b mm	c mm	s mm	l mm	kg	a inch	b inch	c inch	s inch	l inch	Wt. lbs.
Ex1102-60	140	60	60	46	305	6.59	5 <sup>9</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>8</sub>	2 <sup>3</sup> / <sub>8</sub>	1 <sup>13</sup> / <sub>16</sub>	12 <sup>3</sup> / <sub>16</sub>	14.53



Ex1201  
Axe

No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1202-100	100	180	1.90	4	7 <sup>3</sup> / <sub>16</sub>	4.19



Ex1202  
Hatchet

No.	a mm	b mm	kg	a inch	b inch	Wt. lbs.
Ex1201-85	85	165	1.23	3 <sup>13</sup> / <sub>32</sub>	6 <sup>19</sup> / <sub>32</sub>	2.71

Ex1301  
Bar, Pinch



No.	s mm	l mm	kg	s inch	l inch	Wt. lbs.
Ex1301-500	19	500	1.22	3/4	20	2.69
Ex1301-800	23	800	2.52	7/8	32	5.56
Ex1301-1000	28	1000	5.01	1 <sup>1</sup> / <sub>8</sub>	40	11.04
Ex1301A-1000	30	1000	5.67	1 <sup>3</sup> / <sub>16</sub>	40	12.50